

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section Bintends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Enter NPDESID *	Organization Formal Name	•			
GM G29 0541	Fieldwood Energy LLC	Fieldwood Energy LLC			
		arc:			
	Fieldwood				
Reason for Submission *					
Change operator legal name and a	ddress	dd structures	Change structure information		
O Delete structures	O A	dd limit set(s) for an existing permitted feature	O Delete limit set(s) from an existing permitted feature		
Lease Block 1 Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *			
Viosca Knoll	780	G06884	X		
Only the following areas fall within the Structure 1	Region 6 Viosca Knoll jurisdiction: 654, 6	92-698, 734-742, 772-786, 814-830, 856-874, 898-918, 94	0-962, and 983-1006		

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VK-780A	+ 28.237248 -	88.1083668	
Water Depth (in feet) 722	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	San tary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	▼ Well Fluids (WF)
Add Structur	e			
Lease Block 2				
Lease Area Block Name		Lease Area Block BOEM Number *		
Vermilion	102	G03393	X	
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-102A	+ 29.156963 -	92.6062456	
Water Depth (in feet)	Built after 07/17/2006?* No			
\boxtimes (1) \otimes (Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
X sections	Produced Water (PR)	🔀 Sanitary & Demestic WW. Deck	Stock Base Fluid Drill (SB)	X Well Stolde (WF)
		Charage VIVI		
Add Structur	е			
Lease Block 3				
Lease Area Block Name	* Lease Area Block Number *	Lease Area Block BOEM Number *		
Vermilion	14	LA-SL861	X	
Structure 1				

Type *	Description		Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform VR-14#1		29.50889	92.340556	
Water Depth (in feet)	Built after 07/17/2006?* No				
	Cooling Water Intake	Structure (CW)	Drilling Fluidsand Cuttings (DF)	─────────────────────────────────	Maintenance BMP (VM)
Zerbere	Produced Water (PR)		Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	⊠ Well Fluids (NYF)
Add Structure					
Lease Block 4					
Lease Area Block Name 1	Lease Area Block Numb	er "	Lease Area Block BOEM Number *		
Vermilion	14		LA-SL15040	<u> </u>	
Structure 1					
Type *	Description		Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-14#2	+	29.506111 -	92.360833	
Water Depth (in feet)	Built after 07/17/2006?*				
12	No —		_	_	
X (1988) 1188 (1988)	Cooling Water Intake	Structure (CW)		Hydrate Control Fluid (HF)	Maintenance BMP (WM)
\mathbf{X}	Produced Water (PR)		XI San tary & Domestic WW. Deek Drainage WW.	Stock Base Fluid Drill (SB)	X Well Fluida (WF)
Add Structure					
Lease Block 5					
Lease Area Block Name 1	Lease Area Block Numi	er*	Lease Area Block BOEM Number		
Vermilion	15		SL-SL15040	<u> </u>	
Structure 1					

Type *	Description		La	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	1
Platform	VR-15#2		+ 2	29.510556	-	92.366389	
Water Depth (in feet)	Built after 0	7/17/2006?*					
12			(6) 10				
		Cooling Water Intake Struc	ure (CVV)	Drilling Fluids and Cuttings (E		Hydrate Control Fluid (HF)	Maintenance BMP (WM)
		Produced Water (PR)				Stock Base Fluid Drill (SB)	Mel Groteway
Add Structure							
Lease Block 6							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Number	*	_	
Vermilion		26		297		X	
Structure 1							
Type *	Description		La	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	VR26#11		+ 2	29.460268	-	92.368338	X
Water Depth (in feet)		7/17/2006?*					
27	No						
		Cooling Water Intake Struc	ure (CW)	Drilling Fluids and Cuttings (Hydrate Control Fluid (HF)	X Mactionance BMP (WM)
		Produced Water (PR)		San tary & Demonstr. WW. Dec Draftage (WW)		Stock Base Fluid Drill (SB)	Well State (WF)
Add Structure							
Structure 2							
Type *	Description		·	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	1
Platform	VR-26#12		+ 2	29.457527	-	92.362914	X
Water Depth (in feet)	Built after 0	7/17/2006? *					
25		Carlina Mataulataka Gunaa	(0)40		\ .	[7] (1) data (0) data (7) (1/7)	
		Cooling Water Intake Struc	ure (CVV)	Drilling Fluids and Cuttings (Hydrate Control Fluid (HF)	X Maintenance EMP (VM)
X		Produced Water (PR)				Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure							
Structure 3							

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	1
Platform	VR-26#18	+ 29.457433		92.381019	X
Water Depth (in feet)	Built after 07/17/2006?*				
25	No				
	o Olscharge (CT) Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttir	ngs (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	Santary & Domestic WY Drainage (WW)		Stock Base Fluid Drill (SB)	
Add Structur	e				
Structure 4					
Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	VR-26#30	+ 29.467275	-	92.392795	X
Water Depth (in feet)	Built after 07/17/2006?*				
25		ALLER (CM)	(DE)	SZ Modernia Oceania (Finia MEN	
X Chan head of the	Cooling Water Intake Stru			Hydrate Control Fluid (HF)	Maintenance SMP (WM)
X	Produced Water (PR)	Sanitary & Domestic We Drainage VVW		Stock Base Fluid Drill (SB)	∑ Well fill de (WF)
Add Structur	e				
Structure 5					
Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	VR-26#31	+ 29.458809	-	92.391805	X
Water Depth (in feet)	Built after 07/17/2006?* No				
<u> </u>	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttir	ngs (DF)	Hydrate Control Fluid (HF)	X Maintenance BM F (WM)
X MacCastage M	Produced Water (PR)	Sanitary & Doracetic WV Drainage (WW)		Stock Base Fluid Drill (SB)	∑ Well Fluids (WF)
Add Structur	е				
Structure 6					

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-26#32	+ 29.467307 -	92.3804494	X
Water Depth (in feet)	Built after 07/17/2006?*			
75	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VM)
	Produced Water (PR)	Secrety & Donastic West Dack Orange (VEW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	e			
Structure 7				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-26#4	+ 29.457755 -	92.36719	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X Committee of the	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVII)
X Mac Discharge W	Produced Water (PR)	San Cary & Domeralic WW, Deck Oralinage (WW)	Stock Base Fluid Drill (SB)	[X] Well Fluide (WF)
Add Structur	— e	(((((((((((((((((((
Structure 8				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-26#42	+ 29.462309 -	92.384143	X
Water Depth (in feet) 26	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	∀ Hydrate Control Fluid (HF)	Maintenance BMF (WM)
X Mac Osciona (4	Produced Water (PR)	San Cary & Demende WW. Deak Drainage (WW)	Stock Base Fluid Drill (SB)	X Well Fluide (WF)
Add Structur	e			
Structure 9				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-26#48	+ 29.456128 -	92.39287	X
Water Depth (in feet)	Built after 07/17/2006?*			
28	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	Sanitary & Dorsectic W.W. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Wei Floris Ave
Add Structure	-	W.W. WyV (1997)		
}				
Structure 10				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	VR-26#52	+ 29.457433	92.3748222	<u> </u>
Water Depth (in feet)	Built after 07/17/2006?*			
25	No			
	Cooling Water Intake Stru		Hydrate Control Fluid (HF)	Maintenance BWP (WW)
⊠ Med Discharge (MC	Produced Water (PR)	San tary & Domestic WVV. Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	
Add Structure				
Standard 11				
Structure 11	D	1.00 1.00 1.00 1.00 1.00		
Type * Platform	Description VR-26#34FL	Latitude (in decimal degrees) *	Longitude (in decimal degrees) * 92.3927226	X
	L	20.400404	32.3327220	
Water Depth (in feet) 28	Built after 07/17/2006?* No			
X		cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance 8MF (WM)
		San Dary & Domersto Wyv. Deck		
X MiccDischarge (Mi	Produced Water (PR)	Drainage (WW)	Stock Base Fluid Drill (SB)	i∑ Well Fluide (WF)
Add Structure	3			
Structure 12				

Type * Platform	Description VR-26B	Latitude (in decim + 29.47153	Longitud - 92.3665	le (in decimal degrees) * 81 X
Water Depth (in feet)) Built after 07/17/200	6?*		
Chan Tealed M	ils. Discharge (CT) Co			ydrate Control Fluid (HF) Maintenance SMP (WM)
Add Structu		oduced Water (PR) Drainage	St.	tock Base Fluid Drill (SB)
Structure 13	Description	Latitude (in decim	al degrees) *Longitud	le (in decimal degrees) *
Water Depth (in feet) 26	VR-26B-AUX2) Built after 07/17/200 No	+ 29.471525 6?*	- 92.3671	12 X
X Cara Transfer	iso Discharge (CT) Co			ydrate Control Fluid (HF) \(\sum \) Maintenance 84 P (V4)
Add Structu	_	oduced Water (PR) San tary & Drainage	Comedic WW, Deck St WW.	tock Base Fluid Drill (SB) 🚫 Well Fluids (WF)
Add Lease Blo ensitive Areas Add Lease Blo				
Ex. 6	Person	al Privacy (PP	Form Action * Approve	

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.